

MT-4011 - DATA SHEET - KNAP måler plombe


1. Description

The item presents round shape on outlook, smooth clean and flat surface; no hair or sharp curve; even color and no stains.

The seal house and the color of twisting nut can be customized as green, blue, yellow and red color according to virtual application conditions.



2. Technical drawing



3. Technical information

Seal Type	button pressing
Security level	indicative
Material	ABS-Acrylonitrile Butadiene Styrene
Seal Insert material	ABS-Acrylonitrile Butadiene Styrene
Tensile Strength	25KG
Temperature range	-40°C to +50°C
Default wire length	150mm

Diameter of application hole	0.7mm
Sealing wire	2 glands copper wire entangled with 1 gland stainless steel 304 wire

4. Marking

Technology	Laser
Marking field	R-14mm
Standard marking	Consecutive numbering
Customized marking	yes
Text	yes
Logo	yes
Numbering	yes
Bar code	yes
QR code	yes

5. Color

Standard seal color	white,yellow,blue,orange,green
Standard marking color	black

6.Application

Method of application	Manual,no tools needed
Method of removal	light cutting tool

7.Packing

Standard packing	100pcs per aired bag
------------------	----------------------

8. Usage

This item can be applied to various kinds meters or any other security related managements.

